



Human Fibroblast Growth Factor 23 (R179Q)

Origin:	Recombinant	Cat. No.:	41295
Tag:	N-terminal 6xHis	Size:	0.1 mg
Source:	<i>E.coli</i>	Purity:	>90%
Other names:	FGF23	Species:	Human

Description

Expressed in *E.coli* with total 271 AA. Mw: 30.4 KDa (calculated).

N-terminal 6xHis-tag, EK and TEV cleavage site, 44 extra AA (highlighted).

Recombinant antigen for research use or manufacturing only.

Introduction to the Molecule

FGF-23 is a bone-derived hormone that acts in the kidney to regulate phosphate homeostasis and vitamin D metabolism. The signaling receptor for FGF-23, a Klotho-FGFR1 (IIIc) complex, is an essential regulator of the renal sodium phosphate co-transporter and key vitamin D-metabolizing enzymes CYP27B1 and CYP24A1. Mature human FGF-23 contains an atypical (very low affinity) heparin binding site (aa 134-162), a proteolytic cleavage site (Arg179-Ser180), and multiple O-linked glycosylation sites with Thr178 being of particular importance. O-linked glycosylation at Thr178 blocks the cleavage of FGF-23, thereby preventing loss of FGF-23 activity. This recombinant human FGF23 bears mutation at 179th aa from arginine to glutamine preventing proteolytic cleavage.

Amino Acid Sequence

MRGSHHHHHHGMASMTGGQQMGRDLYDDDDKDRWGSENL⁴⁴YFQGAYPNASPLLGSS
WGGLIHLYTATARN⁴⁴SYHLQIHKNGHVDGAPHQTIYSALMIRSEDAGFVVITGVMSRRYLCMDF
RGNIFGSHYFDPENCRFQHQTLENGYDVYHSPQYHFLVSLGRAKRAFLPGMNPPYPYSQFLSRRN
EIPLIHFNTPIPRRHTQSAEDDSERDPLNVLKPRARMTPAPASCSQELPSAEDNSPMASDPLGVV
RGGRVNTHAGGTGPEGCRPFAKFI

Applications

Standard ELISA test, Western Blot.

Formulation

Lyophilized at 1 mg/mL in 50mM Tris, 300mM NaCl, 400mM arginine.

Reconstitution

Add deionized water to prepare a working stock solution of approximately 1 mg/mL and let the lyophilized pellet dissolve completely.





Storage


Store lyophilized protein at -20°C . Aliquot reconstituted protein and store at -80°C . Avoid repeated freezing /thawing cycles.

Quality Control Test

BCA to determine quantity of the protein.

SDS PAGE to determine purity of the protein.

SDS-PAGE gel



Contact Us

- Website: www.immunodiagnostics.com.hk
- E-mail: info@immunodiagnostics.com.hk
- Tel: (+852) 2831 5526; 2831 5508
- Fax: (+852) 2816 2095

