

A dark wood door with a silver handle and decorative glass panels. The door features a central panel with a raised design and two side panels with a repeating circular pattern. The text "find your style" is written in a white, cursive font across the upper portion of the door.

find your style

**WESLOCK®**

**PRODUCT CATALOG**

MARCH 15, 2018

# MOLTEN BRONZE COLLECTION

## ENTRY HANDLES

Tramore



Castletown



Stonebriar



Wiltshire



Broughton



Aspen



Greystone



Rockford



NEW

### Entry Handle Features

- All entry handles are constructed with solid molten brass.
- Internal mechanism features Weslock's unique cylindrical lock design.
- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 Grade 2 lock standards.

# MOLTEN BRONZE COLLECTION

## KNOBS

### Durham

Knob

w/ *Premiere Rosette*



### Wexford

Knob

w/ *Square Rosette*



## LEVERS

### Carlow

Lever

w/ *Premiere Rosette*



### Monaghan

Lever

w/ *Square Rosette*



### Boulder

Lever

w/ *Square Rosette*



NEW

July 2018

### Knob / Lever Features

- Easily accessible push-button locking functionality in rosette.
- Constructed with solid molten brass levers, knobs and rosettes.
- Internal mechanism features Weslock's unique cylindrical lock design.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 grade 2 lock standards.
- A panic-proof keylock / privacy function allows for quicker egress when locked.

## DEADBOLTS

### Premiere



### Square



## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(1)  
Oil Rubbed Bronze



(2)  
Black

\* Special order. Lead time may be up to 12 weeks.

### Deadbolt Features

- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- All deadbolts are constructed with solid molten brass.
- Exceeds ANSI A 156.2 grade 2 lock standards.

## WARRANTY

- Limited Lifetime Mechanical Warranty
- Limited Ten Year Finish Warranty

# ELEGANCE COLLECTION

## ENTRY HANDLES

Bingham



Mansion®



Philbrook



Stanford



Atteberry



Woodward™



Belmont



Xanthis



July 2018

### Entry Handle Features

- All entry handles are constructed with solid brass.
- Internal mechanism features Weslock's unique cylindrical lock design.
- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 Grade 2 lock standards.

# ELEGANCE COLLECTION

## KNOBS

### Impresa™

Knob

w/ Woodward™ Rosette



### Julienne

Knob

w/ Oval Rosette



## LEVERS

### Ambassador™

Lever

w/ Premiere Rosette



### Bordeau™

Lever

w/ Premiere Rosette



### Urbana

Lever

w/ Woodward™ Rosette



### Utica

Lever

w/ Woodward™ Rosette



### Knob / Lever Features

- Easily accessible push-button locking functionality in rosette.
- Constructed with brass knobs and zinc die-cast levers & rosettes.
- Internal mechanism features Weslock's unique cylindrical lock design.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 grade 2 lock standards.
- A panic-proof keylock / privacy function allows for quicker egress when locked.

## DEADBOLTS

### Premiere



### Oval



### Woodward™



### Deadbolt Features

- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- Exceeds ANSI A 156.2 grade 2 lock standards.
- All deadbolts are constructed with solid zinc die-cast.

## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(N)  
Satin Nickel



(8)  
Antique Nickel



(1)  
Oil Rubbed Bronze



(6)  
Bright Chrome



(2)  
Black

## WARRANTY

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty

# TRADITIONALE COLLECTION

## ENTRY HANDLES

### Moderne



### Lexington™ 2100 series



### Lexington™ 1300 series



### Colonial™ 2100 series



### Colonial™ 1300 series



### Entry Handle Features

- All entry handles are constructed with solid brass.
- Internal mechanism features Weslock's unique cylindrical lock design.
- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 Grade 2 lock standards.



# TRADITIONALE COLLECTION

## ENTRY HANDLES INTERCONNECT SERIES

Lexington™  
1400 series\*



Colonial™  
1400 series\*



Woodward™  
1400 series\*



Unigard®Premiere  
1500 series



Unigard®Woodward™  
1500 series\*



NEW



(Single-point locking)



(2-point locking)

NEW




(Single-point locking)



(2-point locking)



(2-point locking)



### Interconnect Features

- A 1" throw bolt with two hardened steel rollers to prevent sawing.
- Tubular design.
- A panic-proof mechanism allows for quicker egress when locked.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)

### \*1400 Series Only

- Turn button locking in knob/lever.
- A 2-point locking mechanism.
- Constructed with solid brass exterior.

## DEADBOLTS

667



668




671




672



371



372



### Deadbolt Features

- ADA recommended, extra large interior thumbturn.
- A 1" throw bolt with two hardened steel rollers to prevent sawing.

### Deadbolt Features (671/672 Only)

- 1/4" diameter through bolts.
- Rotating Collar.
- Exceeds ANSI A 156.2 grade 2 lock standards.
- Anti-force Shield.

# TRADITIONALE COLLECTION

## LEVERS


Ambassador™  
Lever



Access™  
Lever



Bordeau™  
Lever



Urbana  
Lever



## KNOBS

Sonic®  
Knob




Savannah™  
Knob



Julienne  
Knob



Impresa™  
Knob



Eleganti™  
Knob



### Knob / Lever Features

- Easily accessible push-button locking functionality in rosette.
- Constructed with brass knobs / rosettes and zinc die-cast levers.
- Internal mechanism features Weslock's unique cylindrical lock design.
- Weslock® keyway with 5 pin cylinder (Schlage keyway option available.)
- Exceeds ANSI A 156.2 Grade 2 lock standards.
- A panic-proof keylock / privacy function allows for quicker egress when locked.

## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(B)  
PVD



(3)  
Polished  
Brass



(A)  
Antique  
Brass



(D)  
Satin  
Chrome



(6)  
Bright  
Chrome



(N)  
Satin  
Nickel



(1)  
Oil Rubbed  
Bronze



(2)  
Black



(8)  
Antique  
Nickel

## WARRANTY

- Limited Lifetime Mechanical Warranty
- Limited Lifetime Finish Warranty



# PREMIERE ESSENTIALS® COLLECTION

## ENTRY HANDLES

### Parkside



\*Interior Trim Only



### Hillcrest



\*Interior Trim Only



### Mercy



\*Interior Trim Only



## LEVERS

### Bristol Lever



### Somerset Lever



### New Haven Lever



## DEADBOLTS

### 267



### 271



## KNOBS

### Hudson Knob



### Salem Knob



### Premiere Essentials® Features

- Weslock® keyway with 5 pin cylinder (Kwikset and Schlage keyways available.)
- Constructed using a “half moon spindle” tubular design.
- Exceeds ANSI Grade 3 lock standards.
- Turn button locking in knob/lever.

## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(N)  
Satin  
Nickel



(1)  
Oil Rubbed  
Bronze



(6)  
Bright  
Chrome

## WARRANTY

- Limited Twenty-Five Year Mechanical Warranty
- Limited Five Year Finish Warranty

# TRANSITIONAL COLLECTION

## LEVERS

Uptown  
Lever



Philtower  
Lever



Brady  
Lever



### Lever Features

- Easily accessible push-button locking functionality in rosette.
- Constructed with solid zinc rosettes and levers.
- Constructed using square spindle tubular design.
- Exceeds ANSI Grade 3 lock standards.
- A panic-proof privacy function allows for quicker egress when locked.

## ENTRY HANDLES

Mayo



### Entry Handle Features

- Constructed with solid zinc.
- A 1" throw bolt
- Exceeds ANSI Grade 3 lock standards.
- Constructed using square spindle tubular design.
- Weslock® keyway with 5-pin cylinder (Schlage and Kwikset Keyways Available)

## DEADBOLTS

Round



Square



### Deadbolt Features

- A 1" throw bolt
- Exceeds ANSI Grade 3 lock standards.
- Weslock® keyway with 5-pin cylinder (Schlage and Kwikset Keyways Available)

## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(6)  
Bright Chrome



(N)  
Satin Nickel



(1)  
Oil Rubbed Bronze

## WARRANTY

- Limited 25 Year Mechanical Warranty
- Limited 5 Year Finish Warranty

# BATH & CABINET COLLECTION

## 7000 SERIES

### FLORENCE 7400 SERIES

NEW

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



### CANTON 7900 SERIES

NEW

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



#### Bath Hardware Features

- Bath accessories are zinc die-cast rosettes.
- Towel Ring, Tissue Holders, and Towel Bar are Stainless Steel.
- Canton Series Includes a setscrew that is interchangeable - 3/32 allen head.
- Florence Series Includes a setscrew that is interchangeable - 5/64 allen head.

### FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(6)  
Bright  
Chrome



(N)  
Satin  
Nickel



(1)  
Oil Rubbed  
Bronze

### WARRANTY

- Limited 1 year Warranty

# BATH & CABINET COLLECTION

## 9000 SERIES

### BOSTON 9400 SERIES

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



### HARVARD 9500 SERIES

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



### BRADY 9600 SERIES

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



# BATH & CABINET COLLECTION

## 9000 SERIES

### PEORIA 9700 SERIES

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



### ATLAS 9900 SERIES

Robe Hook



Towel Ring



Euro Tissue



Standard Tissue



Towel Bar - 18" & 24"



#### Bath Hardware Features

- Bath accessories are zinc die-cast, except towel ring & European tissue. (Ring and tissue holder are made of solid brass.)
- Includes a setscrew that is interchangeable - 3/32 allen head.
- Uses the same mounting plate for ease of interchangeability.

### FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(6)  
Bright  
Chrome



(N)  
Satin  
Nickel



(1)  
Oil Rubbed  
Bronze

### WARRANTY

- Limited 1 year Warranty

# BATH & CABINET COLLECTION

## 9100 SERIES

Round Knob



Standard Pull - 3.75" & 5"




Cap Pull - 3.75"




## 9200 SERIES


Square Knob



Standard Pull - 3.75"



Standard Pull - 5"



## 9300 SERIES

Square Knob



Standard Pull - 3.75"




Standard Pull - 5"



## 9400 SERIES

Square Knob



Standard Pull - 3.75"



Standard Pull - 5"





# BATH & CABINET COLLECTION

## 9500 SERIES


Egg Knob



Round Knob



Standard Pull - 3.75" & 5"



## 9600 SERIES

Round Knob



Round Knob



Standard Pull - 3.75" & 5"




## 9700 SERIES

Round Knob



Standard Pull - 3.75"



Standard Pull - 5"



### Cabinet Hardware Features

- Knobs & Pulls are solid zinc die-cast.
- Knobs & Pulls include a standard 8/32", 1" screw and a 1-1/2" screw.

## FINISH OPTIONS

Colors shown are for comparison only. Actual finishes may vary due to manufacturing process.



(6)  
Bright  
Chrome



(N)  
Satin  
Nickel



(1)  
Oil Rubbed  
Bronze

## WARRANTY

- Limited 1 year Warranty



If security, safety, and style are important to you, then Weslock® is your choice for quality hardware for your home. Not only are Weslock® products strong and long lasting, but they also offer a beautiful aesthetic for your home. With designs that enhance the look and feel of your home and details, such as concealed installation screws, that merge function and form, Weslock® offers a product unmatched by the competition.

---

For more information call us at:

**1-800-575-2658**  
(BOLT)

Or visit us online at:

**WWW.WESLOCK.COM**

COPYRIGHT WESLOCK®, 2018  
ALL RIGHTS RESERVED