



NV CANNLABS
FROM ART TO SCIENCE



PJLA
Testing
Accreditation #97453

Certificate of Analysis

Powered by Confident Cannabis

1 of 1

Trim Ready/CBD Hemp Direct

Sample: 1902NVC0209-0956


Strain: NA

NV 89119
info@trimready.com
(702) 338-6941
Lic. #

Sample Received: 02/07/2019; Report Created: 02/08/2019

Honolulu Haze Volcano CBD Gummi

Ingestible, Soft Chew
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



<LOQ

THCa

0.100 mg/g

Δ9-THC

5.400 mg/g

CBD

Cannabinoids

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	mg/g
THCa	0.044	<LOQ	<LOQ
Δ9-THC	0.044	0.100	0.100
CBDa	0.044	0.830	0.830
CBD	0.044	5.400	5.400
CBC	0.022	0.080	0.080
CBG	0.022	0.030	0.030
CBN	0.044	<LOQ	<LOQ
THCV	0.022	<LOQ	<LOQ
Δ8-THC	0.022	<LOQ	<LOQ
CBGa	0.022	<LOQ	<LOQ
CBDV	0.022	<LOQ	<LOQ
Total		6.440	6.440

Notes:

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC
Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids analyzed by SOP-021.

6631 Schuster Street
Las Vegas, NV
(702) 826-2700
http://www.nvcann.com

Brenda Shalloo

Brenda Shalloo
Scientific Operations Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All pass limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by NV Cann Labs using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. NV Cann Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of NV Cann Labs. Uncertainty information is available upon request. pH/Water activity is NOT ISO 17025 accredited.