

PRODUCT FEATURES

- Premium quality aluminum construction with a crisp matte white finish
- Supremely clean and crisp modern minimalist ceiling light
- Performance-minded indirect LED lamping provides a bounty of glare-free light
- Fully dimmable LED lamping options to create the desired ambiance
- High quality, long-lasting integrated LED lamping included to save you time and money
- Protected by a 5-year warranty, please visit www.techlighting.com for details



LAMPING

Includes 42 watt, 1755 delivered lumen, 3000K LED module. May be wall or ceiling mounted. Dimmable with low-voltage electronic dimmer.

Matte White



Matte White

ORDERING INFORMATION

700FMKAT13 FINISH

W MATTE WHITE

LAMP

-LED930 LED 90 CRI 3000K 120V

700FMKAT13 _____

JOB NAME _____


NOTES _____



KATA CEILING

SPECIFICATIONS

HARDWARE MATERIAL	Metal
SHADE MATERIAL	Acrylic
NET WEIGHT	4.5 lbs
HEIGHT	4.4in
WIDTH	13.9in
LENGTH	13.9in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	
DRY LISTED	
WALL / CEILING MOUNT	
SLOPED CEILING ADAPTABLE?	No
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		1750		
WATTS		42		
MAX WATTAGE PER BULB		42W		
INPUT VOLTAGE		120V		
DIMMING TYPE*		ELV		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME				
L70				
AVERAGE BULB HOURS		30000		
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		Y		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming
 ** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6.			
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.			

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

