

PRODUCT FEATURES

- Simple yet stylish design
- Thin metal back plate for sleek minimalist look
- Provides up and down illumination
- Ideal for residential and commercial lighting applications
- ADA Compliant
- Protected by a 5-year warranty



LAMPING

Includes 12 watt, 255 delivered lumen, 3000K LED module. Dimmable with low-voltage electronic dimmer. May be mounted vertically or horizontally ADA compliant.

Walnut /
Satin Nickel



Walnut /
Satin Nickel



White /
White

ORDERING INFORMATION

700WSCAFE FINISH

SS SATIN NICKEL/SATIN NICKEL
WW WHITE/WHITE

LAMP

-LED930 LED 90 CRI 3000K 120V
-LED930-277 LED 90 CRI 3000K 277V

700WSCAFE _____

JOB NAME _____


NOTES _____



CAFE WALL

SPECIFICATIONS

HARDWARE MATERIAL	Metal
SHADE MATERIAL	Acrylic
NET WEIGHT	1.5 lbs
HEIGHT	5in
WIDTH	3.6in
LENGTH	4.2in
MIN. EXTENSION FROM WALL	3.6in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	
DRY LISTED	
UP / DOWN	
HORIZONTAL / VERTICAL	
WALL / CEILING MOUNT	
SLOPED CEILING ADAPTABLE?	No
GENERAL LISTING	ETL Listed
ADA COMPLIANT	
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		255		
WATTS		12		
MAX WATTAGE PER BULB		12W		
INPUT VOLTAGE		120V 277V		
DIMMING TYPE*		ELV		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME				
L70				
AVERAGE BULB HOURS		30000		
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		Y		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6.			
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.			

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

