



1509 S. La Cienega Blvd.
Los Angeles, CA 90035
T: 310. 826. 7777
info@liteninc.com

Project: _____
Part#: _____
Type: _____

2/4/8' Mini Strip Fixture



The EnVision LED Strip fixtures features an architectural square design is perfect for any environment. The strip is available in tri-color 3000k/4000k/5000k, making it easy to stock for the distributors and convenient to the contractor in case an end user decides to change the color temperature on site.

Motion sensor and emergency backups are optional.

Applications:

- Ceiling Mounted
- Wall Mounted
- Suspended

Product Information:

- Anti-rusting white powder coat
- UL Listed for damp location IP65
- 0-10V dimmable integrated driver
- Knockouts on the sides and back for easy linking

LED - MST - Feet/Watt - TRI - Accessories - Warranty

1 **2** **3** **4** **5**

1 Product	2	Feet/Watt	3 Color	4	Accessories	5 Warranty
LED-MST	2FT-14W 4FT-40W 8FT-60W	2FT / 14W / 2,200lm 4FT / 40W / 4,400lm 8 FT / 60W / 6,600lm	TRI Variable 30K/40K/50K	(Blank) BMS EMB BMS-EMB	None Bi Level Sensor Emergency Backup Both Accessories	(Blank) 5 Year (incl.) 10YR 10 Year

2/4' Mini Strip Fixture

REFERENCE TABLES



Fixture Model	Voltage	Watts	Lumens	Dimmable	Color	CRI
LED-MST-2FT-14W-TRI	120/277V	14w	2200	0-10V	30/40/50k	>80
LED-MST-4FT-40W-TRI	120/277V	40w	4400	0-10V	30/40/50k	>80
LED-MST-8FT-60W-TRI	120/277V	60w	6600	0-10V	30/40/50k	>80

Trim Model	Description
LED-MST-2FT-14W-TRI	2 FT Mini Strip Fixture Tri Color
LED-MST-2FT-14W-TRI-BMS	2 FT Mini Strip Fixture Tri with Bi Level Sensor
LED-MST-2FT-14W-TRI-EMB	2 FT Mini Strip Fixture Tri with Emergency Backup
LED-MST-2FT-14W-TRI-BMS-EMB	2 FT Mini Strip Fixture Tri with Emergency Backup + Bi Level
LED-MST-4FT-40W-TRI	4 FT Mini Strip Fixture Tri Color
LED-MST-4FT-40W-TRI-BMS	4 FT Mini Strip Fixture Tri with Bi Level Sensor
LED-MST-4FT-40W-TRI-EMB	4 FT Mini Strip Fixture Tri with Emergency Backup
LED-MST-4FT-40W-TRI-BMS-EMB	4 FT Mini Strip Fixture Tri with Emergency Backup + Bi Level
LED-MST-8FT-60W-TRI	8 FT Mini Strip Fixture Tri Color
LED-MST-8FT-60W-TRI-BMS	8 FT Mini Strip Fixture Tri with Bi Level Sensor
LED-MST-8FT-60W-TRI-EMB	8 FT Mini Strip Fixture Tri with Emergency Backup
LED-MST-8FT-60W-TRI-BMS-EMB	8 FT Mini Strip Fixture Tri with Emergency Backup + Bi Level

Listings

ETL Listing :

Suitable for damp location.

DLC Listed

This product is on the Design Lights Consortium (DLC) Qualified Products List and is eligible for rebates from DLC Member Utilities

IESNA LM-79 & IESNA LM-80 Testing:

This product has been tested by an independent laboratory in accordance with IESNA LM-79 and 80 and have received the Department of Energy Lighting Facts label.

LED Characteristics

Lifespan :

50,000-hour LED lifespan based on IES LM-80 results and TM-21 calculations

LEDs :

Long-life, high-efficiency SMD2835, patent free.

Color Uniformity:

CCT(Correlated Color Temperature) follows the guidelines of the American National Standard for Specifications for the Chromaticity of Solid State Lighting (SSL) Products, ANSI C78.388-2015

IP Rating :

Damp location

Finish :

Our environmentally friendly polyester powder coatings are formulated for high-durability and long-lasting color, and contain no VOC or toxic heavy metals

Green Technol:

Mercury and UV free RoHS complaint components Polyester powder coat finish formulated without the use of VOC or toxic heavy metals

2/4' Mini Strip Fixture

FEATURES

Housing

Sturdy aluminum

Finish

Our environmentally friendly polyester powder coatings are formulated for high-durability and long-lasting color

Lens


Frosted PC Cover

(Optional) Motion Sensor:

integrated into fixture body

LEDs

Long-life, high-efficiency SMD2835



Daylight sensor



Hold time



On/off control



Detection area



Stand-by dimming level




Stand-by period



Remote control setting

2/4' Mini Strip Fixture

2/4' MINI STRIP FIXTURE DIMENSIONS



ACCESSORIES DIMENSIONS

