

# **Classroom Projectors**

Deliver engaging instruction and have multiple students work together on large projected lessons—without breaking your budget. Backed by 24/7 support, classroom software, and our online educator community, our projectors are designed for the classroom!

Our P9 and Cambridge projector lines bring standard- or short-throw projected images and collaborative areas to your classroom. We offer both interactive and non-interactive projectors, making interactivity and brilliant images a reality—including the only standard-throw interactive projector available.

- Complete education solution—our P9 interactive projectors come with easy-to-learn and easy-to-use MimioStudio™ classroom software.
- Our classroom software and MimioMobile<sup>™</sup> app enable collaboration and assessment either at the front of the room or on almost any student device.
- Our solution makes it easy to gauge and personalize student learning.
- Replace your outdated or failing projectors with a Cambridge projector and get up to 3,700 lumens of brightness!
- Add on our low-cost bulb replacement program and never worry about blown bulbs for the life of your projector.
- Analog and digital audio/video connections ensure compatibility with virtually any PC.
- Ethernet LAN connectivity enables central management and control.

## To learn more, visit boxlight.com/classroomprojector or call 866.972.1549.



"The interactive tool and MimioStudio are a huge time-saver, making [me] not only more efficient in my classroom, but also much more effective.

Travis Rink/High-School Science Teacher




### Find the Projector That is Right for Your Classrooms

## Want a flat panel display? A projector may be your best solution.

We break down the interactive size and cost below so you can get a clear picture of how much you get for your budget! The size of the interactive or projected area should align with how you will use the interactive solution. A collaborative area with several students working together needs to be fairly large in order to make the collaboration effective.

This will help give you more information so you can select what will work best for your classrooms, teachers, and students.



KEY	INTERACTIVE SOLUTION	ACTIVE AREA SIZE (DIAGONAL)	IMAGE SIZE (H X W)	COST (MSRP)	COST PER SQUARE INCH
	Projector	100 in.	84.8 in. x 53 in. (2,153.92 mm x 1,346.2 mm)	\$1,901	\$0.42 per sq. in.
	<b>Ultra-Wide Laser Projector</b>	140 in.	49 in. x 131 in. (1,244.6 mm x 3,327.4 mm)	\$6,465	\$1.01 per sq. in.
	Laser Projector	115 in.	61 in. x 97.5 in. (1,549.4 mm x 2,476.5 mm)	\$3,999	\$0.67 per sq. in.
	Flat Panel Display	84 in.	41.7in. x 73.8 in. (1,860.5 mm x 1,046.5 mm)	\$9,599	\$3.12 per sq. in.
	Flat Panel Display	70 in.	34.3 in. x 61.0 in.(1,549.4 mm x 871.6 mm)	\$5,330	\$2.55 per sq. in.





It's the variable that can blow a budget: The cost of replacing blown, burned-out bulbs. With Lamps for Life+, you pay a one-time fee (\$199 for education users), with NO shipping costs and 24/7 support to handle your request. Or, purchase the Lamps for Life standard plan at \$99 for education users and cover your own shipping. Either way, you're covered!

The savings are brilliant. Some conditions and maintenance requirements apply, but Lamps for Life and Lamps for Life+ are the no hassle, low-cost bulb programs you've been waiting for. Available exclusively from Boxlight-your partner in cost-effective teaching and presentation solutions.

See complete program options at boxlight.com/lampsoforlife.

	Replacement Bulb Cost	Lamps For Life	Lamps For Life+
Replacement lamp #1	\$199	\$99*	\$199*
Replacement lamp #2	\$199	\$0	\$0
Replacement lamp #3	\$199	\$0	\$0
COST COMPARISON	\$597	\$99*	\$199*

\* Figures based on 5-year projector life span with 3 lamp replacements. Average lamp cost based on current retail from various manufacturers

## **P9 Interactive Projectors**

Make interactivity a reality for your classrooms with up to 5 students/pens working together at the same time on an interactive lesson. Enjoy brilliant WXGA images on a budget that would be impossible with a flat panel display of comparable size. The P9 WX36N offers the only standard-throw interactive projector available, allowing you to easily move and create an interactive area from one classroom to the next.



#### P9 WX36N standard-throw pen-interactive projector

Projector, pen, US power cord (2 m), HDMI cable (2 m), remote control with battery, Mini-USB cable (2 m), warranty card, QuickStart guide, and MimioStudio software license.

#### P9 WX33NST short-throw pen-interactive projector

Projector, pen, US power cord (3 m), HDMI cable (2 m), remote control with battery, Mini-USB cable (2 m), warranty card, QuickStart guide, and MimioStudio software license.

### Find the Projector That is Right for Your Classrooms



	P9 WX36N Standard-Throw	P9 WX33NST Short-Throw		
Brightness	3,600 lumens (2,500 eco)	3,300 lumens (2,300 eco)		
Light Source	218W Phillips, low-pressure mercury vapor	218W Phillips, low-pressure mercury vapor		
Lamp Life (typical)	5,000 hrs. (standard); 10,000 hrs. (eco)	4,000 hrs. (standard); 10,000 hrs. (eco)		
Native Aspect Ratio	16:10	16:10		
Native Resolution	WXGA 1,280 x 800	WXGA 1,280 x 800		
Throw Ratio	1.48 ~ 1.78:1	.46:1		
Power Consumption (typical)	270 W, <0.5 W (eco standby), <3 W (net- work standby)	270 W, <0.5 W (eco standby), <3 W (net- work standby)		
Product Dimensions         347 mm x 257 mm x 109 mm (13.66 in. x 10.12 in. x 4.3 in.)		347 mm x 257 mm x 109 mm (13.66 in. x 10.12 in. x 4.3 in.)		
Net Weight	3.2 kg (7.1 lbs.)	4.0 kg (8.8 lbs.)		
Inputs	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/component, S-Video), VGA x 1 (switched in/out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/component, S-Video), VGA x 1 (switched in/out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>		
Outputs	<ul><li>VGA x 1 (switched in/out)</li><li>3.5mm x 1</li></ul>	<ul><li>VGA x 1 (switched in/out)</li><li>3.5mm x 1</li></ul>		
Speaker	10 W x 1	10 W x 1		
Interactive	Mini-USB	Mini-USB		
LAN Control Protocols         Crestron RoomView, AMX Discov           PJ Link         Crestron RoomView, AMX Discov		Crestron RoomView, AMX Discovery, PJ Link		
Interactive Points	Windows: Up to 5 pens; Mac: 1 pen	Windows: Up to 5 pens; Mac: 1 pen		
Certifications	TUV, CE, CB, FCC	TUV, CE, CB, FCC		



## **Cambridge Projectors**

Need a projector, or one to replace your failing projector? Get a new Cambridge projector that will create brilliant and clear images. Our Cambridge line offers bright XGA or WXGA images, allowing you to get more for your budget. Image adjustment features make them the perfect replacement projectors for interactive technology you already own.

### What's in the Box

### Cambridge X33N standard-throw projector

Projector, AC power cord (2 m), HDMI cable (2 m), remote control with battery, warranty card, and QuickStart guide.

### Cambridge WX36N standard-throw projector

Projector, AC power cord (2 m), HDMI cable (2 m), remote control with battery, warranty card, and QuickStart guide.

### Cambridge X37NST short-throw projector

Projector, AC power cord (3 m), HDMI cable (2 m), remote control with battery, warranty card, and QuickStart guide.

### Cambridge WX33NST short-throw projector

Projector, AC power cord (3 m), HDMI cable (2 m), remote control with battery, warranty card, and QuickStart guide.





	Cambridge X33N Standard-Throw	Cambridge WX36N Standard-Throw	Cambridge X37NST Short-Throw	Cambridge WX33NST Short-Throw
Brightness	3,300 lumens (2,300 eco)	3,600 lumens (2,500 eco)	3,700 lumens (2,600 eco)	3,300 lumens (2,300 eco)
Light Source	218W Phillips, low-pres- sure mercury vapor			
Lamp Life (typical)	5,000 hrs. (standard); 10,000 hrs. (eco)	5,000 hrs. (standard); 10,000 hrs. (eco)	4,000 hrs. (standard); 10,000 hrs. (eco)	4,000 hrs. (standard); 10,000 hrs. (eco)
Native Aspect Ratio	4:3	16:10	4:3	16:10
Native Resolution	XGA 1,024 x 768	WXGA 1,280 x 800	XGA 1,024 x 768	WXGA 1,280 x 800
Throw Ratio	1.48 ~ 1.78:1	1.48 ~ 1.78:1	0.46:1	0.46:1
Power Consumption (typical)	270 W, <0.5 W (eco standby), <3 W (network standby)	270 W, <0.5 W (eco standby), <3 W (network standby)	270 W, <0.5 W (eco standby), <3 W (network standby)	270 W, <0.5 W (eco standby), <3 W (network standby)
Product Dimensions	347 mm x 257 mm x 109 mm (13.66 in. x 10.12 in. x 4.3 in.)	347 mm x 257 mm x 109 mm (13.66 in. x 10.12 in. x 4.3 in.)	347 mm x 341 mm x 142 (13.66 in. x 10.43 in. x 5.6 in.)	347 mm x 341 mm x 142 (13.66 in. x 10.43 in. x 5.6 in.)
Net Weight	3.2 kg (7.1 lbs.)	3.2 kg (7.1 lbs.)	4.0 kg (8.8 lbs.)	4.0 kg (8.8 lbs.)
Inputs	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/ component, S-Video), VGA x 1 (switched in/ out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/ component, S-Video), VGA x 1 (switched in/ out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/ component, S-Video), VGA x 1 (switched in/ out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>	<ul> <li>HDMI x 2 (1 x MHL), USB-A (memory card viewer and optional Wi-Fi dongle), USB-B, LAN x 1 (also control)</li> <li>VGA x 1 (also YCbCr/ component, S-Video), VGA x 1 (switched in/ out), Video x 1</li> <li>RCA L/R (mono) x 1, 3.5mm x 1</li> </ul>
Outputs	<ul><li>VGA x 1 (switched in/out)</li><li>3.5mm x 1</li></ul>	<ul> <li>VGA x 1 (switched in/out)</li> <li>3.5mm x 1</li> </ul>	<ul><li>VGA x 1 (switched in/out)</li><li>3.5mm x 1</li></ul>	<ul><li>VGA x 1 (switched in/out)</li><li>3.5mm x 1</li></ul>
Speaker	10 W x 1			
LAN Control Protocols	Crestron RoomView, AMX Discovery, PJ Link			
Certifications	TUV, CE, CB, FCC			

### Find the Projector That is Right for Your Classrooms









## MimioStudio software—so easy to use and engaging, your teachers will use it every day.

The P9 interactive projectors include our dynamic MimioStudio classroom software. It connects the Boxlight products, so using other tools—from the document camera to the pen tablet—is quick and easy. MimioStudio software allows educators to create interactive lessons and collaborative activities, and perform real-time formative assessment. The software also opens other IWB activities, enabling educators to use the interactive content they already have. **Take learning even further with our MimioMobile app, which brings group learning and collaboration to almost any device.** 



## Community

MimioConnect is our online educator community. It has an extensive library of lesson plans for interactive whiteboards, and you can also share your own favorites with others. Recome involved in discussions on our forums, or start your own group for sharing files and ideas. Get : ke live online or on-demand courses that suit your timetable.

mimioconnect.com



If your school has budget or time consor teachers to learn how to effectivelyimplement our products into the classals, Quick Learn recordings, userguides, and reference cards. Want anme options? We have you coveredwith our live online Quick Learn sessions to access expert knowledge—available to you from your computer or tablet.

#### boxlight.com/training-overview



We know how important it is to feel confident in the tools you use every day, so we make sure you can count on our products and service. We offer US-based in-house, dedicated product specialists. Email, chat, or call us 24/7/365 and we will be there to support you.

#### boxlight.com/boxlight-support-overview



All specifications are subject to change without notice.

**BOXLIGHT.COM**