




**Scorpio Automation™**

[www.scorpioautomation.in](http://www.scorpioautomation.in)

## Transparent PC Rolling Door



### **Specifications:**

1. High transparency
2. Open style: manual or remote control
3. Lift way: rolling lift
4. Material: polycarbonate

**Door panel:**

- The material is polycarbonate (PC).

**Gate chip connecting card:**

- Using a specially designed double-layer structure of aluminum alloy, can be embedded in the upper and lower door tablets, And it makes the door attractive appearance, better seal, strong and durable.

**Base:**

- Aluminum alloy corrosion-resistant special design, elegant appearance. Mute Track: The design of aluminum alloy double cell tank materials can be embedded in quiet, to silence effects.

**Motor:**

- 24V DC motor runs quiet, safe and reliable. Durable.




**Performance:**

- Anti-dust storm and design, solid aluminum door-chip embedded PC structure strength, suitable for large cosmetic use. Simple and elegant design, elegant appearance
- The high strength and toughness and the structure of crystal shutters make it possible for the installation width of rolling gates to reach 12 meters.
- Which can meet the installation requirement of the super-wide shop front. In this way, the costs for the shop front decoration can be reduced and the design can be made simpler.
- Even after doors are closed, the images of the product brands inside the shop can still be clearly demonstrated.
- When each shop open and closes in succession in the morning and evening, a bright and orderly display effect can continuously be available.
- The product takes small space, allows wide shop entrance and provide customers with easy access.
- The provides good condition for the real estate management of the mall.



## Specifications

1	Material	PC
2	Sheet linking	Stainless steel hollow pipe / Aluminium Strip
3	Track	SS / AL
4	Openway	Automatic / manual
5	Transparency	85%
6	Impulse Strength	1400J/m2
7	Bending Strength	78Mpa
8	Heat Resisting	120°C



1.F (follow) Side Bracket.	7. Hand Chain.
2. Barrel.	8. Push Button Switch.
3. Shutter Case.	9. Guide Rail.
4. Rolling Door Motor.	10. Shutter Slat.
5. D (drive) Side Bracket.	11. Bottom Rail.