Internal Scraper Page 1 of 2



Ideal for Cross Hole Deburring

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG 3710	Internal Scraper	85	31	31	172



Instructions

Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish

Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component

Blades should be handled carefully as they are sharp and can cut

Blades can break causing flying objects

Sharp edges and flying objects can cause injury

Users and bystanders should wear protective safety glasses

Do not pry or bend blades

Keep blades and sharp tools away from children

Do not regrind blades as this will weaken the blade and cause breakage and possible injury

All Noga products meet the strict requirements of ISO 9001 and ISO 14001

NG-3 Handle



NG-3 Handle accepts all Blade Holders Ergonomic soft grip, acetyl and rubber construction Removable end cap for blade storage 125mm long x 28mm maximum diameter

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
NG-3 Handle	NG3000	45	32	32	153

Copyright: Linear Tools 2013

Internal Scraper

Page 2 of 2

D Holder



Holds all "D" type Blades Used in NG-3 Handle Telescopes from 30 to 115mm in Handle Blade attached by push fit into end of Holder and clamped with hex grub screw

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
EL 05003	D Holder	40	23	23	153


D66 Blade



Order Code	D66
Pack Reference	BD6610
Cutting	Right and Left Hand
Works best on	Steel, Aluminium and Plastic
Used with Handle	Held in D Holder by grub screw

Packed Weight and Dimensions

Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm
D66	10	45	65	9	82



Order Code	D66
Included Angle	
Blade Material	HSS M2
Blade Hardness	62 – 64 HRC
L: Overall Length	50mm
L: Cutting Length	4.5
D: Shank Diameter	3.2mm

Copyright: Linear Tools 2013