Data Sheet: LDS 1437

Ceramic Blades

Page 1 of 2

Convexed Cera-Cut: CR 2200

	Suitable for surface cleaning and part line deflashing Material: Ceramic 1250HV Include Angle: 90°
--	--

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
CR 2200	Convexed Cera-Cut	50	26	26	172

Concaved Cera-Cut: CR 2500

	Suitable for curved edges and small ridges Material: Ceramic 1250HV Include Angle: 90°
--	--

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
CR 2500	Concaved Cera-Cut	50	26	26	172

V Shaped Blade: CR 5100

Suitable for simultaneously removing burrs from both sides of the workpiece Material: Ceramic 1250HV Width capacity: 1 – 11mm Included Angle: 90°
Included Angle: 90°

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
CR 5100	V Shaped Blade	50	31	31	152

Soft Cut Blade: CR 6000

	Suitable for deburring soft abrasive plastics Material: Ceramic 1250HV Include Angle: 65°
--	---

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
CR 6000	Soft Cut Blade	6	21	36	71

Data Sheet: LDS 1437


Ceramic Blades

Hard Cut Blade: CR 6100

	Suitable for deburring hard abrasive plastics Material: Ceramic 1250HV Include Angle: 75°
--	---

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
CR 6100	Hard Cut Blade	6	21	36	71



Copyright: Linear Tools 2013