## Date: 19-04-2013

## Plastic Rapid Burr

Page 1 of 2




The Noga Plastic Rapid Burr consists of a robust plastic handle which will accept all "S" type deburring blades

Blades are secured by turning the locking mechanism and are free to rotate

Maximum handle body diameter 17.5mm Overall tool length including blade 140mm

#### Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
RB 1200	Plastic Rapid Burr with S10 Blade	30	24	24	155
RB 1400	Plastic Rapid Burr with S10S Blade	30	24	24	155



and insert a new blade.

2. Turn sleeve to LOCK.

OPEN\_

#### Instructions

Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish

Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component

Blades should be handled carefully as they are sharp and can cut

Blades can break causing flying objects

Sharp edges and flying objects can cause injury

Users and bystanders should wear protective safety glasses

Do not pry or bend blades

Keep blades and sharp tools away from children

Do not regrind blades as this will weaken the blade and cause breakage and possible injury

All Noga products meet the strict requirements of ISO 9001 and ISO 14001

#### RB 1200



RB Handle with Green sleeve fitted with S10 Blade Suitable for deburring Steel and Aluminium

Blade material: HSS M2 Blade hardness: 62-64 HRC

#### RB 1400



RB Handle with Blue sleeve fitted with S10S Blade Suitable for deburring Stainless Steel and Plastics

Blade material: HSS Cobalt Blade hardness: 65-67 HRC

Copyright: Linear Tools 2013

# Plastic Rapid Burr


# Page 2 of 2 S10 Heavy Duty Deburring Blade



Order Code	S10
Pack Reference	BS1010
Cutting	Right Hand
Works best on	Steel, Aluminium and Plastic
Used with	NG-1, NG-3 + S Holder, Plastic Edge Off,
Handle	Rapid Burr, Plastic Rapid Burr,

Packed Weight and Dimensions

Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm
S10	10	40	65	8	83



Order Code	S10
Included Angle	40°
Blade Material	HSS M2
Blade Hardness	62 – 64 HRC
L: Overall Length	48mm
L1: Length Inside Handle	28mm
L2: Protrusion from Handle Length	20mm
L3: Cutting Length	6mm
D: Shank Diameter	3.2mm


## S10S Heavy Duty Deburring Blade



Order Code	S10S / S100
Pack Reference	BS1018
Cutting	Right Hand
Works best on	Stainless Steel and Plastics
Used with	NG-1, NG-3 + S Holder, Plastic Edge Off,
Handle	Rapid Burr, Plastic Rapid Burr,

Packed Weight and Dimensions

i deked weigh	t and Difficusions				
Code	Pack Quantity	Weight g	Wmm	Hmm	Lmm
S10S / S100	10	40	65	8	83



Order Code	S10S / S100
Included Angle	45°
Blade Material	HSS Co
Blade Hardness	65 – 67 HRC
L: Overall Length	48mm
L1: Length Inside Handle	28mm
L2: Protrusion from Handle Length	20mm
L3: Cutting Length	6mm
D: Shank Diameter	3.2mm

Copyright: Linear Tools 2013