



The Noga Plastic Rapid Burr consists of a robust plastic handle which will accept all “S” type deburring blades

Blades are secured by turning the locking mechanism and are free to rotate

Maximum handle body diameter 17.5mm


Overall tool length including blade 140mm

Set Contents:

3 x Colour coded special RB Handles each fitted with a different Deburring Blade to suit different materials and applications

Packed Weight and Dimensions

Code	Description	Weight g	W mm	H mm	L mm
RB 3000	Trio Set	77	50	20	175



Instructions

Do not use heavy pressure when deburring as this will cause the blade to dig into the material and give an uneven finish
Use light and even pressure which will allow the blade and handle to work together to remove the burr and leave a smooth finish on the component

Blades should be handled carefully as they are sharp and can cut

Blades can break causing flying objects

Sharp edges and flying objects can cause injury

Users and bystanders should wear protective safety glasses

Do not pry or bend blades

Keep blades and sharp tools away from children

Do not regrind blades as this will weaken the blade and cause breakage and possible injury

All Noga products meet the strict requirements of ISO 9001 and ISO 14001



RB Handle with red sleeve fitted with S20 Blade

Suitable for deburring Brass and Cast Iron

Right and Left Hand use

Blade material: HSS M2

Blade hardness: 62-64 HRC



RB Handle with yellow sleeve fitted with S150 Blade

Suitable for deburring holes 1.5mm or larger

Blade material: HSS M2


Blade hardness: 62-64 HRC



RB Handle with blue sleeve fitted with S10S Blade
Suitable for deburring Stainless Steel and Plastics
Blade material: HSS Cobalt
Blade hardness: 65-67 HRC

How to use:

1. Rotate colored sleeve to OPEN, pull blade out and insert a new blade.



2. Turn sleeve to LOCK.

